



SCHEMATIC DIAGRAM (DSP)


RX-V550/HTR-5750/RX-V450/HTR-5740/DSP-AX450




IC8: MS514280E-60JS 4Mbit DRAM




IC10: SN74LV245APWR Octal Bus Transceiver with 3-state Outputs




IC12: P002SEZSMZP Regulator




IC11: μPC29M33T-E1 Voltage Regulator




IC13: P0012F201ZP Voltage Regulator




IC14: 74VHC15MTGX Quad 2-Input Multiplexer




IC15: μPC45700Z IC19-21: NJM2068MD Dual OP-Amp




IC22: SN74AHC08PWR Quad 2-Input And Gate




IC16: AK4628BVQ 192kHz 24Bit 8-channel CODEC



IC23: P0012F201ZP Voltage Regulator



IC24: 74VHC15MTGX Quad 2-Input Multiplexer








★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked †, and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ †印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

x: NOT USED
O:USED / APPLICABLE

(J)..... JAPAN
(U)..... U. S. A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE

Mark	Reference Parts Number	Parts Name
41	Q301-306, 309, 310 751-756	2SC33261A[B] 2SD27041A 2SC33261B 2SC5938A[A/B]
42	Q308	2SA10151Y KTA1266
43	Q307	2SC18151Y KTC319B

RESISTORCAPACITOR

SCHEMATIC DIAGRAM (FUNCTION 2/2) RX-V550

RX-V550/HTR-5750/RX-V450/HTR-5740/DSP-AX450


REMARKS	PARTS NAME	REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (R=10)	NO MARK	ELECTROLYTIC CAPACITOR
△	CARBON FILM RESISTOR (R=10)	○	TANTALUM CAPACITOR
△	METAL OXIDE FILM RESISTOR	○	CERAMIC TUBULAR CAPACITOR
△	METAL PLATE RESISTOR	○	POLYESTER FILM CAPACITOR
△	FIRE-PROOF CARBON FILM RESISTOR	○	POLYSTYRENE FILM CAPACITOR
□	CEMENT MOLDED RESISTOR	○	MICA CAPACITOR
□	SEMI VARIABLE RESISTOR	○	POLYPROPYLENE FILM CAPACITOR
■	CHIP RESISTOR	●	SEMICONDUCTIVE CERAMIC CAPACITOR

Mark	Reference Parts Number	Parts Name
K11	IC607:608	TK15420MFL
K12	IC609	TC74HC04AFEL
K13	IC603:606:701	TC74HC4053AF
K14	Q502-Q506	2SA1037AK1(G/R/S)
K15	Q701	2SC2412K1(G/R/S)
K16	D401-403:501-503:511	15S355
K17	Q402-509	15S355
K18	Q514	2SA1037AK1(G/R/S)
K19	Q508:601-608:610-612	2SC1740S1R(S)
K20	Q507	2SC3311K1(G/R/S)
K21		KT3198

NOTICE (model)
(J)..... JAPAN
(U)..... U.S.A.
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE

Tuner / VIDEO

516	R549		X	X	100K R035810	100K R035810	100K R035810	100K R035810	X	
517	R553				100K R035810	X	X	X	X	
518	R552				100K R035810	X	X	X	X	100K R035810
519	R555		X		100K R035810	100K R035810	100K R035810	100K R035810	100K R035810	
520	R561		X	R029M,8 Y3624230		X	X	X	X	R029M,8 Y3624230
521										
522										
523	T601				W71680	W71660	W71670	W71680	W71670	W71670
524	T602				W71680	W71680	W71699	W71680	W71699	W71699
NOT USED / APPLICABLE										



Interchangeable Parts at Manufacture-Stage

Mark	Reference Parts Number	Parts Name
41	0301-306-309-310 0753-756	2SC3326(A/B) 2SC3704(K) 2SC3326(B) 2SC9938A(A/B)
42	0308	2SA1015(Y) KTA1266
43	0307	2SC1815(Y) KTC3198

RESISTOR




REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
⊠	CARBON FILM RESISTOR (P=10)
△	METAL OXIDE FILM RESISTOR
⊞	METAL FILM RESISTOR
⊞	METAL PLATE RESISTOR
⊞	FIRE PROOF CARBON FILM RESISTOR
⊞	CEMENT MOLDED RESISTOR
⊞	SEMI VARIABLE RESISTOR
⊞	CHIP RESISTOR

CAPACITOR

REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR
⊞	TANTALUM CAPACITOR
NO MARK	CERAMIC CAPACITOR
⊞	CERAMIC TUBULAR CAPACITOR
⊞	POLYESTER FILM CAPACITOR
⊞	POLYSTYRENE FILM CAPACITOR
⊞	MICA CAPACITOR
⊞	POLYPROPYLENE FILM CAPACITOR
⊞	SEMICONDUCTIVE CERAMIC CAPACITOR

★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
 ★ Components having special characteristics are marked ⊠, and must be replaced with parts having specifications equal to those originally installed.
 ★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
 ★ ⊠印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリス
 トに記載されている部品を使用してください。
 ★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

Page 81 [G9]
to OPERATION (1)Page 83 [A1]
to POWER (1)Page 83 [A2]
to POWER (1)IC301: BD3816K1
Input Select & Volume ControlIC303, 304, 306: NJM2068MD
Dual OP-Amp.IC305: NJM4556AL
Dual OP-Amp

SCHEMATIC DIAGRAM (FUNCTION 2/2) HTR-5750 RX-V450/HTR-5740/DSP-AX450

RX-V550/HTR-5750/RX-V450/HTR-5740/DSP-AX450

REMARKS	PARTS NAME	REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (D=5)	NO MARK	ELECTROLYTIC CAPACITOR
□	CARBON FILM RESISTOR (D=10)	□	TANTALUM CAPACITOR
△	METAL OXIDE FILM RESISTOR	○	CERAMIC CAPACITOR
◇	METAL FILM RESISTOR	○	CERAMIC TUBULAR CAPACITOR
■	METAL PLATE RESISTOR	○	POLYESTER FILM CAPACITOR
□	FIRE-PROOF CARBON FILM RESISTOR	○	POLYSTYRENE FILM CAPACITOR
□	CEMENT MOLDED RESISTOR	○	MICA CAPACITOR
□	SEMI-VARIABLE RESISTOR	○	POLYPROPYLENE FILM CAPACITOR
■	CHIP RESISTOR	○	SEMICONDUCTIVE CERAMIC CAPACITOR

Mark	Reference Parts Number	Parts Name
411	IC007:608	TK15420MTL
412	IC009	TC74HC04AFEL
413	IC701:603-606	TC74HC043AF
414	0503-504-506	W674HC40535X
415	0503-504-506	25A1037A10/P/S/1
416	0501-503-511-601-604	25A1037A10/P/S/1
417	0509	25A1037A10/P/S/1
418	0508-601-608-610-612	25A1037A10/P/S/1
419	0501-503-511-601-604	25A1037A10/P/S/1
420	0507	25A1037A10/P/S/1
421		KTIC3198

NOTICE (mode1)
(J)..... JAPAN
(U)..... U.S.A.
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE


Tuner / VIDEO

HTB-5750		U/C	T	K	A
416	R549	X	X	100K	RD35810
417	R553	X	X	100K	RD35810
418	R552	X	X	X	X
419	R555	X	100K	100K	100K
420	CB511	X	X	X	RD35810
421	SW901	X	X	X	X
422	W513	X	X	X	X
423	CB512	V762550	V762550	V762550	V762550
424	W513	X	X	X	X
425	CB512	V762550	V762550	V762550	V762550
426	W513	X	X	X	X
427	CB512	V762550	V762550	V762550	V762550
428	W513	X	X	X	X
429	CB512	V762550	V762550	V762550	V762550
430	W513	X	X	X	X
431	CB512	V762550	V762550	V762550	V762550
432	W513	X	X	X	X
433	CB512	V762550	V762550	V762550	V762550
434	W513	X	X	X	X
435	CB512	V762550	V762550	V762550	V762550
436	W513	X	X	X	X
437	CB512	V762550	V762550	V762550	V762550
438	W513	X	X	X	X
439	CB512	V762550	V762550	V762550	V762550
440	W513	X	X	X	X
441	CB512	V762550	V762550	V762550	V762550
442	W513	X	X	X	X
443	CB512	V762550	V762550	V762550	V762550
444	W513	X	X	X	X
445	CB512	V762550	V762550	V762550	V762550
446	W513	X	X	X	X
447	CB512	V762550	V762550	V762550	V762550
448	W513	X	X	X	X
449	CB512	V762550	V762550	V762550	V762550
450	W513	X	X	X	X
451	CB512	V762550	V762550	V762550	V762550
452	W513	X	X	X	X
453	CB512	V762550	V762550	V762550	V762550
454	W513	X	X	X	X
455	CB512	V762550	V762550	V762550	V762550
456	W513	X	X	X	X
457	CB512	V762550	V762550	V762550	V762550
458	W513	X	X	X	X
459	CB512	V762550	V762550	V762550	V762550
460	W513	X	X	X	X
461	CB512	V762550	V762550	V762550	V762550
462	W513	X	X	X	X
463	CB512	V762550	V762550	V762550	V762550
464	W513	X	X	X	X
465	CB512	V762550	V762550	V762550	V762550
466	W513	X	X	X	X
467	CB512	V762550	V762550	V762550	V762550
468	W513	X	X	X	X
469	CB512	V762550	V762550	V762550	V762550
470	W513	X	X	X	X
471	CB512	V762550	V762550	V762550	V762550
472	W513	X	X	X	X
473	CB512	V762550	V762550	V762550	V762550
474	W513	X	X	X	X
475	CB512	V762550	V762550	V762550	V762550
476	W513	X	X	X	X
477	CB512	V762550	V762550	V762550	V762550
478	W513	X	X	X	X
479	CB512	V762550	V762550	V762550	V762550
480	W513	X	X	X	X
481	CB512	V762550	V762550	V762550	V762550
482	W513	X	X	X	X
483	CB512	V762550	V762550	V762550	V762550
484	W513	X	X	X	X
485	CB512	V762550	V762550	V762550	V762550
486	W513	X	X	X	X
487	CB512	V762550	V762550	V762550	V762550
488	W513	X	X	X	X
489	CB512	V762550	V762550	V762550	V762550
490	W513	X	X	X	X
491	CB512	V762550	V762550	V762550	V762550
492	W513	X	X	X	X
493	CB512	V762550	V762550	V762550	V762550
494	W513	X	X	X	X
495	CB512	V762550	V762550	V762550	V762550
496	W513	X	X	X	X
497	CB512	V762550	V762550	V762550	V762550
498	W513	X	X	X	X
499	CB512	V762550	V762550	V762550	V762550
500	W513	X	X	X	X
501	CB512	V762550	V762550	V762550	V762550
502	W513	X	X	X	X
503	CB512	V762550	V762550	V762550	V762550
504	W513	X	X	X	X
505	CB512	V762550	V762550	V762550	V762550
506	W513	X	X	X	X
507	CB512	V762550	V762550	V762550	V762550
508	W513	X	X	X	X
509	CB512	V762550	V762550	V762550	V762550
510	W513	X	X	X	X
511	CB512	V762550	V762550	V762550	V762550
512	W513	X	X	X	X
513	CB512	V762550	V762550	V762550	V762550
514	W513	X	X	X	X
515	CB512	V762550	V762550	V762550	V762550
516	W513	X	X	X	X
517	CB512	V762550	V762550	V762550	V762550
518	W513	X	X	X	X
519	CB512	V762550	V762550	V762550	V762550
520	W513	X	X	X	X
521	CB512	V762550	V762550	V762550	V762550
522	W513	X	X	X	X
523	CB512	V762550	V762550	V762550	V762550
524	W513	X	X	X	X
525	CB512	V762550	V762550	V762550	V762550
526	W513	X	X	X	X
527	CB512	V762550	V762550	V762550	V762550
528	W513	X	X	X	X
529	CB512	V762550	V762550	V762550	V762550
530	W513	X	X	X	X
531	CB512	V762550	V762550	V762550	V762550
532	W513	X	X	X	X
533	CB512	V762550	V762550	V762550	V762550
534	W513	X	X	X	X
535	CB512	V762550	V762550	V762550	V762550
536	W513	X	X	X	X
537	CB512	V762550	V762550	V762550	V762550
538	W513	X	X	X	X
539	CB512	V762550	V762550	V762550	V762550
540	W513	X	X	X	X
541	CB512	V762550	V762550	V762550	V762550
542	W513	X	X	X	X
543	CB512	V762550	V762550	V762550	V762550
544	W513	X	X	X	X
545	CB512	V762550	V762550	V762550	V762550
546	W513	X	X	X	X
547	CB512	V762550	V762550	V762550	V762550
548	W513	X	X	X	X
549	CB512	V762550	V762550	V762550	V762550
550	W513	X	X	X	X
551	CB512	V762550	V762550	V762550	V762550
552	W513	X	X	X	X
553	CB512	V762550	V762550	V762550	V762550
554	W513	X	X	X	X
555	CB512	V762550	V762550	V762550	V762550
556	W513	X	X	X	X
557	CB512	V762550	V762550	V762550	V762550
558	W513	X	X	X	X
559	CB512	V762550	V762550	V762550	V762550
560	W513	X	X	X	X
561	CB512	V762550	V762550	V762550	V762550
562	W513	X	X	X	X
563	CB512	V762550	V762550	V762550	V762550
564	W513	X	X	X	X
565	CB512	V762550	V762550	V762550	V762550
566	W513	X	X	X	X
567	CB512	V762550	V762550	V762550	V762550
568	W513	X	X	X	X
569	CB512	V762550	V762550	V762550	V762550
570	W513	X	X	X	X
571	CB512	V762550	V762550	V762550	V762550
572	W513	X	X	X	X
573	CB512	V762550	V762550	V762550	V762550
574	W513	X	X	X	X
575	CB512	V762550	V762550	V762550	V762550
576	W513	X	X	X	X
577	CB512	V762550	V762550	V762550	V762550
578	W513	X	X	X	X
579	CB512	V762550	V762550	V762550	V762550
580	W513	X	X	X	X
581	CB512	V762550	V762550	V762550	V762550
582	W513	X	X	X	X
583	CB512	V762550	V762550	V762550	V762550
584	W513	X	X	X	X
585	CB512	V762550	V762550	V762550	V762550
586	W513	X	X	X	X
587	CB512	V762550	V762550	V762550	V762550
588	W513	X	X	X	X
589	CB512	V762550	V762550	V762550	V762550
590	W513	X	X	X	X
591	CB512	V762550	V762550	V762550	V762550
592	W513	X	X	X	X
593	CB512	V762550	V762550	V762550	V762550
594	W513	X	X	X	X
595	CB512	V762550	V762550	V762550	V762550
596	W513	X	X	X	X
597	CB512	V762550	V762550	V762550	V762550
598	W513	X	X	X	X
599	CB512	V762550	V762550	V762550	V762550
600	W513	X	X	X	X
601	CB512	V762550	V762550	V762550	V762550
602	W513	X	X	X	X
603	CB512	V762550	V762550	V762550	V762550
604	W513	X	X	X	X
605	CB512	V762550	V762550	V762550	V762550
606	W513	X	X	X	X
607	CB512	V762550	V762550	V762550	V762550
608	W513	X	X	X	X
609	CB512	V762550	V762550	V762550	V762550
610	W513	X	X	X	X
611	CB512	V762550	V762550	V762550	V762550
612	W513	X	X	X	X
613	CB512	V762550	V762550	V762550	V762550
614	W513	X	X	X	X
615	CB512	V762550	V762550	V762550	V762550
616	W513	X	X	X	X
617	CB512	V762550	V762550	V762550	V762550
618	W513	X	X	X	X
619	CB512	V762550	V762550	V762550	V762550
620	W513	X	X	X	X
621	CB512	V762550	V762550	V762550	V762550
622	W513	X	X	X	X
623	CB512	V762550	V762550	V762550	V762550
624	W513	X	X	X	X
625	CB512	V762550	V762550	V762550	V762550
626	W513	X	X	X	X
627	CB512	V762550	V762550	V762550	V762550
628	W513	X	X	X	X
629	CB512	V762550	V762550	V762550	V762550
630	W513	X	X	X	X
631	CB512	V762550	V762550	V762550	V762550
632	W513	X	X	X	X
633	CB512	V762550	V762550	V762550	V762550
634	W513	X	X	X	X
635	CB512	V762550	V762550	V762550	V762550
636	W513	X	X	X	X
637	CB512	V762550	V762550	V762550	V762550
638	W513	X	X	X	X
639	CB512	V762550	V762550	V762550	V762550
640	W513	X	X	X	X
641	CB512	V762550	V762550	V762550	V762550
642	W513	X	X	X	X
643	CB512	V762550	V762550	V762550	V762550
644	W513	X	X	X	X
645	CB512	V762550	V762550	V762550	V762550
646	W513	X	X	X	X
647	CB512	V762550	V762550	V762550	V762550
648	W513	X	X	X	X
649	CB512	V762550	V762550		

■ SCHEMATIC DIAGRAM (OPERATION) RX-V550

FL DISPLAY

FL DRIVER



REMARKS	PARTS NAME	
NO MARK	ELECTROLYTIC CAPACITOR	⌘
⊗	TANTALUM CAPACITOR	
NO MARK	CERAMIC CAPACITOR	
●	CERAMIC TUBULAR CAPACITOR	
⊙	POLYESTER FILM CAPACITOR	
○	POLYSTYRENE FILM CAPACITOR	
①	MICA CAPACITOR	
⊖	POLYPROPYLENE FILM CAPACITOR	
⊕	SEMICONDUCTIVE CERAMIC CAPACITOR	
⊙	POLYPHENYLENE SULFIDE FILM CAPACITOR	

REMARKS	PARTS NAME	
NO MARK	CARBON FILM RESISTOR (P=5)	□
□	CARBON FILM RESISTOR (P=10)	
△	METAL OXIDE FILM RESISTOR	
▲	METAL FILM RESISTOR	
⊠	METAL PLATE RESISTOR	
▨	FIRE PROOF CARBON FILM RESISTOR	
□	CEMENT MOLDED RESISTOR	
⊗	SEMI VARIABLE RESISTOR	
■	CHIP RESISTOR	

		R-T-K-L	U-C-A	B-G-E	
s1	SW816 - 819	X	X	VV02030	RDS
s2	RB32	X	X	2.2K RD35622	
s3	RB36	X	X	3.3K RD35633	
s4	RB39	X	X	4.7K RD35647	
s5	RB40	X	X	6.8K RD35668	REMOTE
s6	RB16	X		10K RD35710	
s7	DB02	X		SIR-505ST V259820	


x: NOT USED
o: USED / APPLICABLE

Interchangeable Parts at Manufacture-Stage

Mark	Reference Parts Number	Parts Name
&1	0801-806	2SC2412K10/R/S1 2SD601A10/R/S1
&2	0872-873-881-884	1SS355 MA111
&3		
&4		
&5		
&6		
&7		

NOTICE (model)

(J)..... JAPAN
(U)..... U. S. A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE





★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked Δ and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ Δ 印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

■ SCHEMATIC DIAGRAM (OPERATION) HTR-5750 RX-V450/HTR-5740/DSP-AX450

RX-V550/HTR-5750/RX-V450/HTR-5740/DSP-AX450

FL DISPLAY



	J. U. C. R. T. K. A. L.	B. G. E
s1	SWB18-B21	VV02030
s2	RB36	RD35647
s3	RB37	RD35668
s4	RB38	RD35710
s5	RB39	RD35722

Interchangeable Parts at Manufacture-Stage

Mark	Reference Parts Number	Parts Name
&1	Q801-Q806	25C2412K1Q/R/S1 25D601A1(TX)Q/R/S
&2	D881-B84-872-873	1SS355 MA111
&3	D803	1SS355 MA111
&4		

NOTICE (mode1)

- (J)..... JAPAN
- (U)..... U. S. A
- (C)..... CANADA
- (R)..... GENERAL
- (T)..... CHINA
- (K)..... KOREA
- (A)..... AUSTRALIA
- (B)..... BRITISH
- (G)..... EUROPE
- (L)..... SINGAPORE
- (E)..... SOUTH EUROPE

REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
□	CARBON FILM RESISTOR (P=10)
△	METAL OXIDE FILM RESISTOR
▲	METAL FILM RESISTOR
⊠	METAL PLATE RESISTOR
▤	FIRE PROOF CARBON FILM RESISTOR
■	CEMENT MOLDED RESISTOR
⊗	SEMI VARIABLE RESISTOR
■	CHIP RESISTOR

REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR
⊗	TANTALUM CAPACITOR
NO MARK	CERAMIC CAPACITOR
●	CERAMIC TUBULAR CAPACITOR
⊙	POLYESTER FILM CAPACITOR
○	POLYSTYRENE FILM CAPACITOR
①	MICA CAPACITOR
②	POLYPROPYLENE FILM CAPACITOR
③	SEMICONDUCTIVE CERAMIC CAPACITOR
④	POLYPHENYLENE SULFIDE FILM CAPACITOR

★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked ▲, and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ ▲印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

■ SCHEMATIC DIAGRAM (MAIN)

Page 83 [F10]
to POWER (1)

Page 83 [E10]
to POWER (1)

Page 83 [E10]
to POWER (1)

RX-V550: Page 77 [H7]
HTR-5750, RX-V450, HTR-5740,
DSP-AX450: Page 79 [H6]
to FUNCTION (2)

Page 83 [K3]
to POWER (1)

Page 84 [A4]
to SUBTRANS

RX-V550: Page 77 [H6]
HTR-5750, RX-V450, HTR-5740,
DSP-AX450: Page 79 [H7]
to FUNCTION (2)

RESISTOR	REMARKS	PARTS NAME
NO MARK	NO MARK	CARBON FILM RESISTOR (P-5)
⊠	⊠	CARBON FILM RESISTOR (P-10)
△	△	METAL OXIDE FILM RESISTOR
□	□	METAL FILM RESISTOR
■	■	FILM PROOF CARBON FILM RESISTOR
□	□	CEMENT MOUNTED RESISTOR
⊠	⊠	SEMI VARIABLE RESISTOR
■	■	CHIP RESISTOR

CAPACITOR	REMARKS	PARTS NAME
NO MARK	NO MARK	ELECTROLYTIC CAPACITOR
⊠	⊠	TANTALUM CAPACITOR
⊠	⊠	CERAMIC CAPACITOR
⊠	⊠	CERAMIC TUBULAR CAPACITOR
⊠	⊠	POLYESTER FILM CAPACITOR
⊠	⊠	POLYSTYRENE FILM CAPACITOR
⊠	⊠	MICA CAPACITOR
⊠	⊠	POLYPROPYLENE FILM CAPACITOR
⊠	⊠	SEMICONDUCTIVE CERAMIC CAPACITOR
⊠	⊠	POLYPHENYLENE SULFIDE FILM CAPACITOR

NOTICE (mode1)
(J)..... JAPAN
(U)..... U.S.A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(S)..... SINGAPORE
(E)..... SOUTH EUROPE

Interchangeable Parts at Manufacture-Stage		
Mark	Reference Parts Number	Parts Name
41	RY121, 122, 124, 125	D52402-05(M) 05PA-2B
42	D133	T56P03G-C1 D55B20
43	D1-14, 251	H59104 155133 155176
44	D1	25B1274(R/S) 25B1566(E/F)

RX-V550/HTR-5750	LC	RTA	BLK/LKE
41 C136 131 134 137	X	X	X
42 TE125 121	WC3190	WC3190	WC3190
44 C136 141	X	X	X
46 SW1	SS029-P020NMB	SS029-P020NMB	SS029-P020NMB
47 C152 123	155124 155133 155176	155124 155133 155176	155124 155133 155176

RX-V550/HTR-5740/DSP-AX450	J	LC	RTA	BLK/LKE
41 C136 131 134 137	X	X	X	X
42 TE125 121	WC3190	WC3190	WC3190	WC3190
44 C136 141	X	X	X	X
46 SW1	X	SS029-P020NMB	SS029-P020NMB	SS029-P020NMB
47 C152 123	155124 155133 155176	155124 155133 155176	155124 155133 155176	155124 155133 155176

X: NOT USED
O: USED / APPLICABLE


to Power Transformer

★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked with ! and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ !印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

■ SCHEMATIC DIAGRAM (POWER)

RX-V550/HTR-5750/RX-V450/HTR-5740/DSP-AX450




REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
□	CARBON FILM RESISTOR (P=10)
△	METAL OXIDE FILM RESISTOR
⊠	METAL FILM RESISTOR
⊞	METAL PLATE RESISTOR
⊞	FIRE PROOF CARBON FILM RESISTOR
⊞	CEMENT MOLDED RESISTOR
⊞	SEMI-VARIABLE RESISTOR
⊞	CHIP RESISTOR

REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR
⊙	TANTALUM CAPACITOR
NO MARK	CERAMIC CAPACITOR
⊙	CERAMIC TUBULAR CAPACITOR
⊙	POLYESTER FILM CAPACITOR
⊙	POLYSTYRENE FILM CAPACITOR
⊙	MICA CAPACITOR
⊙	POLYPROPYLENE FILM CAPACITOR
⊙	SEMICONDUCTIVE CERAMIC CAPACITOR
⊙	POLYPHENYLENE SULFIDE FILM CAPACITOR

Mark	Reference Parts Number	Parts Name
41	0301-302	HSS104 155133 155176

NOTICE (model)
(J)..... JAPAN
(U)..... U.S.A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE




RX-550HTR-5750	U.C.T.K (WC8949)	R (WC8950)	L (WD07290)	A,B,G,E (WC83990)
s1	SW291	X	WB49370	WD07370
s2	CR291	X	V937780	V937780
s3	CR292	X	V937780	V937780
s4	CR293, 294	X	WC296070	WC296070
s5	W291	X	V941190	V941190
s6	F3	X	T4AL250V K800079	T4AL250V K800079
s7	C360	6800/25	6800/25	6800/25

RX-V450HTR-5740/DSP-AX450	U.C.T.K (WC89370)	R (WC89880)	L (WD07290)	A,B,G,E (WC83990)
s1	SW291	X	WB49370	WD07370
s2	CR291	X	V937780	V937780
s3	CR292	X	V937780	V937780
s4	CR293, 294	X	VP20650	VP20650
s5	W291	X	V941190	V941190
s6	F3	X	T4AL250V K800079	T4AL250V K800079
s7	C360	4700/25	4700/25	4700/25

X: NOT USED
O: USED, APPLICABLE

[R, L models only]



Page 84 [G2]
to SUBTRANS

to Power Transformer

★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked with a triangle (Δ) and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ Δ印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。



x: NOT USED
O: USED / APPLICABLE

```
NOTICE (model)
(J)..... JAPAN
(U)..... U. S. A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE
```

CAPACITOR		
REMARKS	PARTS NAME	
NO MARK	ELECTROLYTIC CAPACITOR	H
⊗	TANTALUM CAPACITOR	
NO MARK	CERAMIC CAPACITOR	H
●	CERAMIC TUBULAR CAPACITOR	
⊙	POLYESTER FILM CAPACITOR	
○	POLYSTYRENE FILM CAPACITOR	
①	MICA CAPACITOR	
Ⓟ	POLYPROPYLENE FILM CAPACITOR	
⊗	SEMICONDUCTIVE CERAMIC CAPACITOR	
Ⓢ	POLYPHENYLENE SULFIDE FILM CAPACITOR	

